

SM Yellow Green Colorful Acrylic Sheet: Transparent PMMA, 8MM/9MM/10MM Thickness

Basic Information

Place of Origin: ChinaBrand Name: SM

• Certification: ISO9001:2015,CE, DE,ROHS,REACH etc.

Model Number: SM384
Minimum Order Quantity: 2000kgs
Price: 1-200kg, \$3/kg
Packaging Details: PE film or Craft Paper

• Delivery Time: 25-30days

• Payment Terms: L/C,T/T,Western Union,Paypal

• Supply Ability: 2000PCS 25-30days



Product Specification

Product: Yellow Green Acrylic Sheet

Size: CustomizableThickness: 1.8-40mm

• Surface: Smooth, Matt, Texture, Embossing

Signage, Display

Packing: PE Bag, Carton, Pallet
Raw Material: Acrylic (PMMA)
Origin: Zhejiang, China
Feature: Waterproof
Light Transmission: High

Customized: Accept OEM
Chemical Resistance: Good
Density: 1.20g/cm3
Sample: Available



More Images

· Applications:



Product Description

Wholesale Colored Acrylic Sheet

Acrylic has high transparency, light transmittance of 92%, and has the reputation of "plastic crystal". And has excellent weather resistance, especially for outdoor use, ranking first among other plastics, and has good surface hardness and gloss, processing plasticity, and can be made into various shapes and products required. In addition, there are many kinds of plates and rich colors (including translucent color plates), and another feature is that thick plates can still maintain high transparency.

Specifications:

Place of Origin:	Zhejiang,China
Brand Name:	SM
Material:	Acrylic
Size:	1220*2440mm, 1220*1830mm and so on.
Thickness:	1.8-40mm
Raw Material:	Lucite, Mitsubushi, Chinese materials
Grade:	AAAAA
MOQ:	2TONS
Technology:	Cast
Certificate:	ISO9001,CE,ROHS,etc.
Color:	Any colors
Delivery:	15-30days
Density:	1.2g/cm3
Sample	available





Transparency/Whiteness:

Strict raw material selection, advanced formula follow-up and modern production technology production ensure excellent transparency and pure whiteness of the board. Crystal clear after flame polishing.

- (I). Acrylic sheets cannot be stored in the same place with other organic solvents, let alone contact with organic solvents
- (II). During transportation, the surface protective film or protective paper cannot be scratched.







Production process

Test for raw materials and auxiliary materials



The Reaction process of material



The blending process of material



The feeding process of material



Solidifying and molding process of material



Release process and Test for the products





Packing for the products





Cargo transportation





OUR QUALIFICATION









PAYMENT TERMS












In short,we abide by the following principles:

- 1. Providing Best Service
- 2. High Quality Products
- 3. Fastest Production Lead-Time
- 4. Competitive Prices

Customer Feedback



FAQ

- 1. Q:Can you produce according to the samples?
- A: Of course, OEM welcome!
- 2. Q: How can i get the sample?
- A: Small samples available are free, you need to pay for the shipping price.
- 3. Q: How long can I expect to get the sample?
- A: We can prepare samples within 3 days. Usually it takes about 5-7 days for the delivery.

4. Q: What is your MOQ?

A: MOQ is 26pieces for each size.

5. Q:Do you test all your goods before delivery?

A: Sure, have strict quality inspection department, also send you photos before shipment!

We have a dedicated R&D team, and every step of the process is strictly reviewed. According to your needs, we can make products that satisfy you.

6. Q: What is your lead time for mass production?

A: Normally 25-30 days.

7. Q: What is your payment term?

A: T/T, L/C, Paypal, Western Union

8. Q: How do you pack it?

A: Each sheet covered by PE film, or craft paper, and then 1.5 tons packaged in a pallet.



+86 18457085648

amy@perfectplastic8.com



perfectplastic8.com

Sitong Road 3-5, Huibu Town, Changshan County, Quzhou City, Zhejiang Province